

'22

POLFENEO®

DECLARATION
OF PERFORMANCE



DECLARATION OF PERFORMANCE

According to Annex III of Regulation (EU) No 305/2011 of the European Parliament and of the Council (as adjusted according to Commission Delegated Regulation (EU) No 574/2014

- 1 Unique identification code of the product type: Guard 10.0M
- 2 Intended use or uses:
(according to Table ZA.1 hEN) Garage door intended for industrial or domestic use in accordance with the specific purpose and/or specific requirements in terms of noise, energy, tightness and safety of use
- 3 Manufacturer: POLFENDO Sp. z o.o. 41-409 Mysłowice ul. Hutnicza 10
- 4 Authorised representative: Not applicable
- 5 System of assessment and verification of constancy of performance: AVCP 3
- 6a Harmonised standard: EN 13241:2003+A2:2016
(PN-EN 13241+A2:2016-10)
- Notified bodies or bodies: LTB (NB 1827)

7. Declared performance:

Essential characteristics	Performance
[4.4.2] Watertightness:	Class 2
[4.2.9] Release of hazardous substances:	No secretion
[4.4.3] Wind load resistance:	Class 1
[4.4.5] Thermal resistance (if applicable):	npd
[4.4.6] Air permeability:	Class 3
[4.2.8] Safe opening (vertically moving doors):	npd
[4.2.5] Determination of the geometry of glass elements:	npd
[4.2.3] Mechanical strength and stability:	npd
[4.3.3] Exerted forces (for power-driven doors):	npd
[4.4.7] Durability of watertightness, thermal resistance and air permeability without deteriorating:	npd

The performance of the product identified above shall be in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Aleksander Gruszka, President of the Management Board:

Mysłowice 25.01.2022

Aleksander Gruszka

PREZES Zarządu

DECLARATION OF PERFORMANCE

According to Annex III of Regulation (EU) No 305/2011 of the European Parliament and of the Council
(as adjusted according to Commission Delegated Regulation (EU) No 574/2014

- 1 Unique identification code of the product type: Intense 10.0M
- 2 Intended use or uses:
(according to Table ZA.1 hEN) Garage door intended for industrial or domestic use in accordance with the specific purpose and/or specific requirements in terms of noise, energy, tightness and safety of use
- 3 Manufacturer: POLFENDO Sp. z o.o. 41-409 Mysłowice ul. Hutnicza 10
- 4 Authorised representative: Not applicable
- 5 System of assessment and verification of constancy of performance: AVCP 3
- 6a Harmonised standard: EN 13241:2003+A2:2016
(PN-EN 13241+A2:2016-10)
- Notified bodies or bodies: LTB (NB 1827)

7. Declared performance:

Essential characteristics	Performance
[4.4.2] Watertightness:	Class 3
[4.2.9] Release of hazardous substances:	No secretion
[4.4.3] Wind load resistance:	Class 1
[4.4.5] Thermal resistance (if applicable):	npd
[4.4.6] Air permeability:	Class 1
[4.2.8] Safe opening (vertically moving doors):	npd
[4.2.5] Determination of the geometry of glass elements:	npd
[4.2.3] Mechanical strength and stability:	npd
[4.3.3] Exerted forces (for power-driven doors):	npd
[4.4.7] Durability of watertightness, thermal resistance and air permeability without deteriorating:	npd

The performance of the product identified above shall be in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Aleksander Gruszka, President of the Management Board:

Mysłowice 25.01.2022

Aleksander Gruszka

PREZES Zarządu

DECLARATION OF PERFORMANCE

According to Annex III of Regulation (EU) No 305/2011 of the European Parliament and of the Council
(as adjusted according to Commission Delegated Regulation (EU) No 574/2014

- 1 Unique identification code of the product type: Factory 10.0M
- 2 Intended use or uses:
(according to Table ZA.1 hEN) Garage door intended for industrial or domestic use in accordance with the specific purpose and/or specific requirements in terms of noise, energy, tightness and safety of use
- 3 Manufacturer: POLFENDO Sp. z o.o. 41-409 Mysłowice ul. Hutnicza 10
- 4 Authorised representative: Not applicable
- 5 System of assessment and verification of constancy of performance: AVCP 3
- 6a Harmonised standard: EN 13241:2003+A2:2016
(PN-EN 13241+A2:2016-10)
- Notified bodies or bodies: LTB (NB 1827)

7. Declared performance:

Essential characteristics	Performance
[4.4.2] Watertightness:	Class 3
[4.2.9] Release of hazardous substances:	No secretion
[4.4.3] Wind load resistance:	Class 1
[4.4.5] Thermal resistance (if applicable):	npd
[4.4.6] Air permeability:	Class 1
[4.2.8] Safe opening (vertically moving doors):	npd
[4.2.5] Determination of the geometry of glass elements:	npd
[4.2.3] Mechanical strength and stability:	npd
[4.3.3] Exerted forces (for power-driven doors):	npd
[4.4.7] Durability of watertightness, thermal resistance and air permeability without deteriorating:	npd

The performance of the product identified above shall be in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Aleksander Gruszka, President of the Management Board:

Mysłowice 25.01.2022

Aleksander Gruszka

PREZES Zarządu

DECLARATION OF PERFORMANCE

According to Annex III of Regulation (EU) No 305/2011 of the European Parliament and of the Council
(as adjusted according to Commission Delegated Regulation (EU) No 574/2014

- 1 Unique identification code of the product type: Mini52 4.0M
- 2 Intended use or uses:
(according to Table ZA.1 hEN) Garage door intended for industrial or domestic use in accordance with the specific purpose and/or specific requirements in terms of noise, energy, tightness and safety of use
- 3 Manufacturer: POLFENDO Sp. z o.o. 41-409 Mysłowice ul. Hutnicza 10
- 4 Authorised representative: Not applicable
- 5 System of assessment and verification of constancy of performance: AVCP 4
- 6a Harmonised standard: EN 13241:2003+A2:2016
(PN-EN 13241+A2:2016-10)
- Notified bodies or bodies: LTB (NB 1827)

7. Declared performance:

Essential characteristics	Performance
[4.4.2] Watertightness:	Class 0
[4.2.9] Release of hazardous substances:	No secretion
[4.4.3] Wind load resistance:	Class 1
[4.4.5] Thermal resistance (if applicable):	npd
[4.4.6] Air permeability:	Class 0
[4.2.8] Safe opening (vertically moving doors):	npd
[4.2.5] Determination of the geometry of glass elements:	npd
[4.2.3] Mechanical strength and stability:	npd
[4.3.3] Exerted forces (for power-driven doors):	npd
[4.4.7] Durability of watertightness, thermal resistance and air permeability without deteriorating:	npd

The performance of the product identified above shall be in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Aleksander Gruszka, President of the Management Board:

Mysłowice 25.01.2022

Aleksander Gruszka

PREZES Zarządu

DECLARATION OF PERFORMANCE

According to Annex III of Regulation (EU) No 305/2011 of the European Parliament and of the Council
(as adjusted according to Commission Delegated Regulation (EU) No 574/2014

- 1 Unique identification code of the product type: Mini55 4.0M
- 2 Intended use or uses:
(according to Table ZA.1 hEN) Garage door intended for industrial or domestic use in accordance with the specific purpose and/or specific requirements in terms of noise, energy, tightness and safety of use
- 3 Manufacturer: POLFENDO Sp. z o.o. 41-409 Mysłowice ul. Hutnicza 10
- 4 Authorised representative: Not applicable
- 5 System of assessment and verification of constancy of performance: AVCP 4
- 6a Harmonised standard: EN 13241:2003+A2:2016
(PN-EN 13241+A2:2016-10)
- Notified bodies or bodies: LTB (NB 1827)

7. Declared performance:

Essential characteristics	Performance
[4.4.2] Watertightness:	Class 1
[4.2.9] Release of hazardous substances:	No secretion
[4.4.3] Wind load resistance:	Class 1
[4.4.5] Thermal resistance (if applicable):	npd
[4.4.6] Air permeability:	Class 0
[4.2.8] Safe opening (vertically moving doors):	npd
[4.2.5] Determination of the geometry of glass elements:	npd
[4.2.3] Mechanical strength and stability:	npd
[4.3.3] Exerted forces (for power-driven doors):	npd
[4.4.7] Durability of watertightness, thermal resistance and air permeability without deteriorating:	npd

The performance of the product identified above shall be in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Aleksander Gruszka, President of the Management Board:

Mysłowice 25.01.2022

Aleksander Gruszka

PREZES ZARZĄDU

DECLARATION OF PERFORMANCE

According to Annex III of Regulation (EU) No 305/2011 of the European Parliament and of the Council
(as adjusted according to Commission Delegated Regulation (EU) No 574/2014

1	Unique identification code of the product type:	Mini77 4.0M
2	Intended use or uses: (according to Table ZA.1 hEN)	Garage door intended for industrial or domestic use in accordance with the specific purpose and/or specific requirements in terms of noise, energy, tightness and safety of use
3	Manufacturer:	POLFENDO Sp. z o.o. 41-409 Mysłowice ul. Hutnicza 10
4	Authorised representative:	Not applicable
5	System of assessment and verification of constancy of performance:	AVCP 4
6a	Harmonised standard:	EN 13241:2003+A2:2016 (PN-EN 13241+A2:2016-10)
	Notified bodies or bodies:	LTB (NB 1827)

7. Declared performance:

Essential characteristics	Performance
[4.4.2] Watertightness:	Class 1
[4.2.9] Release of hazardous substances:	No secretion
[4.4.3] Wind load resistance:	Class 1
[4.4.5] Thermal resistance (if applicable):	npd
[4.4.6] Air permeability:	Class 0
[4.2.8] Safe opening (vertically moving doors):	npd
[4.2.5] Determination of the geometry of glass elements:	npd
[4.2.3] Mechanical strength and stability:	npd
[4.3.3] Exerted forces (for power-driven doors):	npd
[4.4.7] Durability of watertightness, thermal resistance and air permeability without deteriorating:	npd

The performance of the product identified above shall be in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Aleksander Gruszka, President of the Management Board:

Mysłowice 25.01.2022

Aleksander Gruszka

PREZES Zarządu

DECLARATION OF PERFORMANCE

According to Annex III of Regulation (EU) No 305/2011 of the European Parliament and of the Council
(as adjusted according to Commission Delegated Regulation (EU) No 574/2014

- 1 Unique identification code of the product type: K/AEG84 easylook 7100M
- 2 Intended use or uses:
(according to Table ZA.1 hEN) Rolling garage grille intended for industrial or domestic use in accordance with the specified purpose and/or specific requirements in terms of noise, energy, tightness and safety of use
- 3 Manufacturer: POLFENDO Sp. z o.o. 41-409 Mysłowice ul. Hutnicza 10
- 4 Authorised representative: Not applicable
- 5 System of assessment and verification of constancy of performance: AVCP 3
- 6a Harmonised standard: EN 13241:2003+A2:2016
(PN-EN 13241+A2:2016-10)
- Notified bodies or bodies: LTB (NB 1827)

7. Declared performance:

Essential characteristics	Performance
[4.4.2] Watertightness:	npd
[4.2.9] Release of hazardous substances:	No secretion
[4.4.3] Wind load resistance:	npd
[4.4.5] Thermal resistance (if applicable):	npd
[4.4.6] Air permeability:	npd
[4.2.8] Safe opening (vertically moving doors):	npd
[4.2.5] Determination of the geometry of glass elements:	npd
[4.2.3] Mechanical strength and stability:	npd
[4.3.3] Exerted forces (for power-driven doors):	npd
[4.4.7] Durability of watertightness, thermal resistance and air permeability without deteriorating:	npd

The performance of the product identified above shall be in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Aleksander Gruszka, President of the Management Board:

Mysłowice 25.01.2022

Aleksander Gruszka

PREZES Zarządu

DECLARATION OF PERFORMANCE

According to Annex III of Regulation (EU) No 305/2011 of the European Parliament and of the Council (as adjusted according to Commission Delegated Regulation (EU) No 574/2014

- 1 Unique identification code of the product type: K/AEG56 minilook 4010M
- 2 Intended use or uses:
(according to Table ZA.1 hEN) Rolling garage grille intended for industrial or domestic use in accordance with the specified purpose and/or specific requirements in terms of noise, energy, tightness and safety of use
- 3 Manufacturer: POLFENDO Sp. z o.o. 41-409 Mysłowice ul. Hutnicza 10
- 4 Authorised representative: Not applicable
- 5 System of assessment and verification of constancy of performance: AVCP 3
- 6a Harmonised standard: EN 13241:2003+A2:2016
(PN-EN 13241+A2:2016-10)
- Notified bodies or bodies: LTB (NB 1827)

7. Declared performance:

Essential characteristics	Performance
[4.4.2] Watertightness:	npd
[4.2.9] Release of hazardous substances:	No secretion
[4.4.3] Wind load resistance:	npd
[4.4.5] Thermal resistance (if applicable):	npd
[4.4.6] Air permeability:	npd
[4.2.8] Safe opening (vertically moving doors):	npd
[4.2.5] Determination of the geometry of glass elements:	npd
[4.2.3] Mechanical strength and stability:	npd
[4.3.3] Exerted forces (for power-driven doors):	npd
[4.4.7] Durability of watertightness, thermal resistance and air permeability without deteriorating:	npd

The performance of the product identified above shall be in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Aleksander Gruszka, President of the Management Board:

Mysłowice 25.01.2022

Aleksander Gruszka

PREZES Zarządu



POLFENDO®



Polfendo Sp. z o.o.
ul. Hutnicza 10
41-409 Mysłowice

+48 601 802 407
info@polfendo.com

NIP: 2220894414

www.polfendo.com